10' - 0" WALL



(AS DESIGNED)



LOCATION:
ACCOUNT MANAGER:

CLIENT NAME:
TOWN:









Get My Garage

The HEMLOCK 24 × 24 Garage : 12/12 Gable Facing Doors

DRAWINGS PROVIDED BY:

Get My Garage
on@fieldstonedesign.cor

DATE:

12/22/2022

SCALE:

SHEET:

10' - 0" MALL

GARAGE SPECIFICATIONS

(AS DRAWN)

 $SIZE = 24'-0" \times 24'-0"$ CODE = IRC 2015 Mininimum Alternate: LOADS = Check Local CE

FOUNDATION = Options Available

MALL HEIGHT = 10'-0" WALL FRAME = 2x6 KD - Open Stud $HEADERS = 2 \times 10$ and LVL SHEATHING = 1/2" Min - Wall

ROOF = Truss System - Open Ceiling **ROOF PITCH = 12/12** O-HANG SIZE = 12" SHEATHING = 5/8" Min

SIDING = Vinyl Siding ROOFING = Architectural Shingles SOFFETS = Vinul TRIMS = Aluminum Coil Wrapped

MINDOMS = Vinul DOORS = Insulated GARAGE DOORS = Insulated

2nd LEVEL STORAGE Stair Access

CODE:

- - Maine - - GMG90061

MATERIALS CALCULATIONS IS A GUIDE Depending on Personal Choices Additional or alternate Materials will be needed and should be discussed with the General Contractor and the Building Supplier Representative.



MATERIAL CALCULATIONS

(AS DRAMN)

Sill Sealer 2x6 PT Sill Plate 96 Lf 2x6 KD Plate 96 Ea 2x6x10 KD Stud 2×6×8 KD Stud 24 Ea 72 Lf 2×10 KD Header 11 7/8" LVL Header 1/2" Sheathing Walls House Wrap - Protect 1 System Roof Trusses - Attic Truss 2x6 KD Sub Fascia 222 Lf 2×6 KD Rake Frame 300 Lf 2x4 Kd Lateral/ Diagonal Bracing 962 Sf 5/8" Roof Sheathing 288 Sf 3/4" Floor Sheathing 126 Lf Drip Edge 52 Lf

Ice and Water Shield (36" Coverage) 800 Sf 15# Felt Paper - Protect Ridge Vent - Optional 26 Lf 962 Sf Architectural Roof Shingle 40 Lf Outside Corner - Yinul 96 Lf Starter Strip - Yinul 80 Lf J-Channel - Doors 74 Lf J-Channel - Rake 52 Lf J-Chan/ Undersill - Eave 74 Sf Solid Soffit - Rake 52 Sf Yented/ Solid - Eave 4 Roll Coil Stock - Yerify / Option - Trim

220 Lf Exterior Trim - Optional 1170 Sf

Yinyl Siding

60 Lf 2×10/12 KD - Stair Stringers 30 Lf 2x6 KD - Platform Frame 106 Sf 3/4" Sheathing - Sub Tread

(AS DRAWN)

Window and Door Schedule

M1 - 32"x52" Double Hung

- 3'-0" × 6'-8" Entry Door D2 - 8'-0" × 8'-0" Garage Door

Quality, Brand and Features by Others - TBD Consult Manufacturer for Rough Openings

PLEASE CONSULT YOUR BUILDING SUPPLY PROFESSIONAL For Options, Desired Modifications, and Alternate Product Availabilty

MATERIAL DATA SOURCE

DATA SOURCE

Intended as a Guide for Alternate Products

KEY: Lf = Lineal Foot: Sf = Square Foot: Ea = Each CE = Code Enforcement : GSL = Ground Snow Load

Exterior Mall @ 10'-0" Exterior Wall @ 8'-0" Exterior Sheathing/ Siding 1170 Sf 962 Sf Roof Sheathing/ Roofing 26 Lf Ridge

Rake 74 Lf Eave

Win/ Door/ G Door Trim Ext

STRUCTURAL NOTES

Win/ Door Headers @ 2x10 54 LF G-Door Headers @ 11 7/8" LVL

RIDGE: 23' - 6" +/-

STRUCTURAL NOTES Based on Northern Maine Load Conditions Loading = 100# GSL : 100# Wind

Consult your Local Supplier for Reductions



SION TABL SVISED BY SH -SH -SH -SH -1000 1000 B - 44+

HEMI Garag Facin The 24×24 Gable

DATE:

12/22/2022

SCALE:

SHEET:

A-2

ATTENTION CONSTRUCTION PROFESSIONALS
Use this Page for Modifications, Additions, Subtractions and Estimation Notes



ISED BY DESCRIPTION

SH - Initial Setup

SH - Launch Review

SH - Upgrade 2021

SH - Upgrade 2022

| NUMBER | DATE | REVISED BY | 1 - 3/2020 - 5H - 1 | 2 - 11/2021 - 5H - 1 | 1 - 10/2022 - 5H - 1 | 1 - 10/2022 - 5H - 1 | 1 | 10/2022 - 5H - 1 | 1 | 10/2022 - 5H - 1 | 1 | 10/2022 - 5H - 1 | 10/2022 - 5H

Get My Garage

The HEMLOCK 24 × 24 Garage: 12/12 Gable Facing Doors

Get My Garage lon@fieldstonedesign.com tom Drawiings Available

DATE:

12/22/2022

SCALE:

SHEET:

A - 3


10' - 0" WALL

ESTIMATION WORK SHEET

Revision and Order Notes

"OPTIONS ARE ENDLESS"

10' - 0" WALL



SLAB W/ FROST WALL

e
" OPTIONS ARE ENDLESS "

PLEASE CONSULT YOUR LOCAL CODE ENFORCEMENT or CONTRACTOR Requisites for Foundations Vary from one Municipality to another.

MONOLITHIC SLAB:	Check Here
Slab Thickness: Honch Thickness: Honch Midth: Concrete PSI: Rebar / Mesh:	
With STEM: Stem Height: Stem Type: Concret PSI: Rebar:	Check Here
SLAB W/ FROST MALL :	Check Here
Slab Thickness: Honch Thickness: Honch Midth: Concrete PSI: Rebar / Mesh:	
Mith STEM : Stem Height : Stem Type : Concret PSI : Rebar :	Check Here

FLOOR LAYOUT **Foundation**

3/8" - 1'-0" Scale Printed at ARCH D

HEMI Garag Facin

DATE:


12/22/2022

SCALE:

SHEET:

A-4

10' - 0" MALL





FLOOR LAYOUT Lower Level

3/8" - 1'-0" Scale Printed at ARCH D

HEM! Garaç Facin


DATE:

12/22/2022

SCALE:

SHEET:

10' - 0" WALL






FLOOR LAYOUT Upper Level

3/8" - 1'-0" Scale Printed at ARCH D Lama «

iED BY | DESCRIPTION
- Initial Setup
- Launch Review
- Upgrade 2021
- Upgrade 2022

NUMBER DATE REVISED BY DE 1 - 3/2020 - 5H - Initi 2 - 8/2020 - 5H - Lau 2 - 11/2021 - 5H - Up 1 - 10/2022 - 5H - Up



The HEMLOCK 4×24 Garage: 12/12 Gable Facing Doors

DRAWINGS PROVIDED BY:

Get My Garage
on@fieldstonedesign.com

DATE:

12/22/2022

SCALE:


SHEET:

10' - 0" WALL



FRONT ELEVATION

1/4" - 1'-0" Scale Printed at ARCH D





RIGHT ELEVATION

1/4" - 1'-0" Scale Printed at ARCH D MALL HEIGHT = 10'-0" WALL FRAME = 2×6 KD $HEADERS = 2\times10$ and LVL SHEATHING = 1/2" Min

ROOF = Truss System **ROOF PITCH = 12/12** O-HANG SIZE = 12" SHEATHING = 5/8" Min

SIDING = Yinyl Siding ROOFING = Architectural Shingles SOFFETS = Vinyl TRIMS = Aluminum Coil Wrapped

MINDOMS = Vinyl DOORS = Insulated GARAGE DOORS = Insulated

2nd LEVEL STORAGE Stair Access

SION TABL SVISED BY SH -SH -SH -SH -NUMB + 221

HEMI Garaç Facin The 24×24 Gable

DATE:

12/22/2022

SCALE:

SHEET:

10' - 0" WALL



REAR ELEVATION

1/4" - 1'-0" Scale Printed at ARCH D



MALL HEIGHT = 10'-0" WALL FRAME = 2×6 KD $HEADERS = 2 \times 10$ and LVL SHEATHING = 1/2" Min


ROOF = Truss System **ROOF PITCH = 12/12** O-HANG SIZE = 12" SHEATHING = 5/8" Min

SIDING = Vinyl Siding ROOFING = Architectural Shingles SOFFETS = Yinyl TRIMS = Aluminum Coil Mrapped

MINDOWS = Vinyl DOORS = Insulated GARAGE DOORS = Insulated

2nd LEVEL STORAGE Stair Access

12/12 PITCH



LEFT ELEVATION

1/4" - 1'-0" Scale Printed at ARCH D

SION TABL SVISED BY SH -SH -SH -SH -



DATE:

12/22/2022

SCALE:

SHEET:

ARCHITECTURAL SHINGLES 15# FELT PAPER ICE AND WATER SHIELD

DRIP EDGE 5/8" SHEATHING

ROOF TRUSS SYSTEM LATERAL AND DIAGONAL BRACING

CEILING - UNFINISHED

YINYL SIDING VINYL TRIM HOUSE WRAP 1/2" SHEATHING 2×6 KD FRAME 2×10/ LVL HEADERS INTERIOR - UNFINISHED

FOUNDATION INFORMATION See Page A-4 and Page A-11

1/2" - 1'-0" Scale

BUILDING SECTION

Printed at ARCH D

10' - 0" MALL SR: 23' - 6" +/-TOW: 18' - 10" 12/12 PITCH SF: 10' - 10" TOW: 10' - 0" Upper Level Storage Area

> BUILDING SECTION As Drawn

"OPTIONS ARE ENDLESS"

N ← 44←

HEMI Garaç Facin

DATE:

12/22/2022

SCALE:

SHEET:

A - 9

GRADE

STEM: 1'-0"

SLAB: 0.0

The HEML 24 × 24 Garag Gable Facing

DATE:


12/22/2022


SCALE:

SHEET:

A - 10

DISCLOSURE: Get My Garage is a Drafting Service intended to increase communication between Homeowners, Suppliers, Contractors, and facebook.com/GetMyGaragedotcom • Lending Institutions. Please consult with Local and State Building Codes prior to construction to assure compliance.





TYP, CORNER DETAIL

NO SCALE

NO SCALE

TYPICAL WALL ASSEMBLY







10' - 0" MALL

Z - 44-

DATE:


12/22/2022

SCALE:

SHEET:

A - 11

DISCLOSURE: Get My Garage is a Drafting Service intended to increase communication between Homeowners, Suppliers, Contractors, and Lending Institutions. Please consult with Local and State Building Codes prior to construction to assure compliance.



WALL STUD 2x WALL PLATE PT SILL PLATE 1/2" SHEATHING SILL SEALER **CMU STEM** SIDING 1/2" SHEATHING SLAB

WALL STUD SIDING 2x WALL PLATE 1/2" SHEATHING PT SILL PLATE SILL SEALER SIDING 1/2" SHEATHING **FROST WALL FOOTING**

MONOLITHIC SLAB

MONOLITHIC SLAB w/ STEM

FOUNDATION NOTES

"OPTIONS ARE ENDLESS"

10' - 0" MALL

FOOTING w/ FROST WALL and STEM

Choose Option No Scale

GMG

- Initial Setup - Launch Review - Upgrade 2021 - Upgrade 2022

Get My Garage®

The HEMLOCK 24×24 Garage: 12/12 Gable Facing Doors

DRAWINGS PROVIDED BY:

Get My Garage

on@fieldstonedesign.coi

DATE:

ROOF DETAILS

Choose Option

No Scale

12/22/2022


SCALE:


SHEET:

A - 12

DISCLOSURE: Get My Garage is a Drafting Service intended to increase communication between Homeowners, Suppliers, Contractors, and Lending Institutions. Please consult with Local and State Building Codes prior to construction to assure compliance.


10' - 0" MALL









ROOF FRAMING NOTES








10' - 0" WALL



TRUSS LAYOUT





ROOF TRUSS SYSTEM

Concept Drawing No Scale

SHEET:

DATE:

SCALE:

12/22/2022

DISCLOSURE: Get My Garage is a Drafting Service intended to increase communication between Homeowners, Suppliers, Contractors, and facebook.com/GetMyGaragedotcom • Lending Institutions. Please consult with Local and State Building Codes prior to construction to assure compliance.

A - 13

HEMI Garaç Facin

The 24×24 Gable

WEBSITE - www.getmygarage.com

10' - 0" WALL

THANK YOU SO MUCH

GET MY GARAGE Random Design Ideas on this Page







Custom Plans Available By Request

PLEASE CONSULT YOUR LOCAL BUILDING SUPPLIER

Open Your Mind to the Options

GOOD LUCK WITH YOUR PROJECT



GMG

1 - 3/2020 - 8 2 - 8/2020 - 8 2 - 11/2021 - 8 1 - 10/2022 - 8

Get My Garag

The HEMLOCK 24×24 Garage: 12/12 Gable Facing Doors

Get My Garage lon@fieldstonedesign.con

DATE:

12/22/2022

SCALE:

SHEET: